

poultry



Slaughtered under Federal Inspection
and Poultry Used in Further Processing

November 1971

Release:
January 4, 1972
3:00 P.M. EST

Inspected Poultry - There were 1,189 million pounds live weight (chickens, turkeys, and ducks) inspected for slaughter during November 1971 under Poultry Inspection Act carried on by United States Department of Agriculture. This is 6 percent less than the previous month but 8 percent more than November 1970.

The number of head and pounds live weight inspected by classes were: young chickens - 213,763,000 head, 806,510,000 pounds; mature chickens - 15,445,000 head, 68,821,000 pounds; fryer-roaster turkeys - 1,085,000 head, 10,083,000 pounds; young turkeys - 14,058,000 head, 297,708,000 pounds; old turkeys - 32,000 head, 647,000 pounds; and ducks - 897 head, 5,694,000 pounds.

Poultry Certified Wholesome in November totaled 868,690,000 pounds ready-to-cook weight of which 619,506,000 pounds were chilled and 249,184,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 576,194,000; mature chickens, 43,517,000; fryer-roaster turkeys, 7,808,000; young turkeys, 234,593,000; old turkeys, 486,000; ducks, 4,081,000; and other poultry, 2,011,000 pounds.

Further Processed - Poultry inspected and used for further processing totaled 132,543,000 pounds ready-to-cook weight, compared with 119,134,000 pounds in November 1970. The November 1971 total consisted of 32,942,000 pounds young chickens, 35,391,000 pounds mature chickens, 56,182,000 pounds of turkeys, and 8,028,000 pounds of other poultry.

Poultry cut-up and packaged totaled 189,461,000 pounds ready-to-cook weight compared with 165,139,000 pounds in November 1970. The breakdown by class was: young chickens, 167,985,000 pounds; mature chickens, 367,000; turkeys, 20,868,000; and other poultry, 241,000 pounds.

Ante-Mortem Condemnations during November were 3,675,000 pounds live weight. Condemnations by class as a percent of quantities inspected were: young chickens, 0.31; mature chickens, 0.76; fryer-roaster turkeys, 0.31; young turkeys, 0.18; old turkeys, 0.40; and ducks, 0.03.

Post-Mortem Condemnations in November were 34,757,000 pounds (NYD weight). Condemnations by class as a percent of quantities inspected were: young chickens, 3.21; mature chickens, 5.95; fryer-roaster turkeys, 2.40; young turkeys, 2.81; old turkeys, 4.16; and ducks 1.75.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE CROP REPORTING BOARD
Pou 2-1 (1-72) WASHINGTON, D.C. 20250

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, NOVEMBER 1971 WITH COMPARISONS

NUMBER INSPECTED 3/ OCTOBER 1971 NOVEMBER 1970 NOVEMBER 1971 JAN.-NOV. 1970 JAN.-NOV. 1971	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER : TOTAL :	
	: CHICKENS :	: CHICKENS/ :	: CHICKENS :	: CHICKENS/ :	: TURKEYS/ :	: TURKEYS/ :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY : POULTRY :
	: 234,308	14,988	249,296	15,095	15	16,297	999					
	: 194,231	14,321	208,552	13,850	17	15,227	861					
	: 213,763	15,445	229,208	14,058	32	15,175	897					
	: 2,557,876	160,060	2,717,936	84,904	1,003	96,300	11,099					
	: 2,555,723	168,424	2,724,147	89,866	1,150	102,320	10,436					
POUNDS INSPECTED 4/ OCTOBER 1971 NOVEMBER 1970 NOVEMBER 1971 JAN.-NOV. 1970 JAN.-NOV. 1971	: 871,836	66,694	938,530	314,065	276	325,210	6,319					
	: 723,712	64,939	788,651	298,506	367	311,654	5,441					
	: 806,510	68,821	875,331	308,438	647	308,438	5,694					
	: 9,280,555	736,648	10,017,203	1,682,678	19,468	1,797,754	69,375					
	: 9,378,291	758,897	10,137,188	1,775,502	22,550	1,900,103	65,623					
AVERAGE LIVEWEIGHTS/ OCTOBER 1971 NOVEMBER 1970 NOVEMBER 1971 JAN.-NOV. 1970 JAN.-NOV. 1971	: 3.72	4.45	3.76	20.81	18.47	19.96	6.33					
	: 3.73	4.53	3.78	21.55	21.69	20.47	6.32					
	: 3.77	4.46	3.82	21.18	20.01	20.32	6.35					
	: 3.63	4.60	3.69	19.82	19.41	18.67	6.25					
	: 3.67	4.51	3.72	19.74	19.61	18.57	6.29					

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

OCTOBER 1971, 2,436; NOVEMBER 1970, 2,563; AND NOVEMBER 1971, 2,497.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

OCTOBER 1971, 17; NOVEMBER 1970, 22; AND NOVEMBER 1971, 13.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), NOVEMBER 1971 WITH COMPARISONS 1/

OCTOBER 1971 NOVEMBER 1970 NOVEMBER 1971 JANUARY-NOVEMBER 1970 JANUARY-NOVEMBER 1971	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER : TOTAL :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: TURKEYS/ :	: TURKEYS/ :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY : POULTRY :
	: 566,956	34,225	601,181	2,125	36,776	57	38,958	246				
	: 57,547	8,062	65,609	6,311	210,552	157	217,020	4,251				
	: 624,503	42,287	666,790	8,436	247,328	214	255,978	4,497				
	: 456,655	33,849	490,504	2,170	58,873	35	61,078	400				
	: 56,244	7,282	63,526	7,769	175,791	249	183,609	3,487				
	: 512,899	41,131	554,030	9,939	234,664	284	244,887	3,887				
	: 516,633	35,018	551,651	2,811	64,338	88	67,237	425				
	: 59,561	8,499	68,060	4,997	170,255	398	175,650	3,656				
	: 576,194	43,517	619,711	7,808	234,593	486	242,887	4,081				
	: 5,933,660	357,133	6,290,793	16,503	243,654	3,585	263,742	2,330				
	: 665,979	112,081	778,060	57,510	1,084,237	11,811	1,153,558	46,936				
	: 6,599,639	469,214	7,068,853	74,013	3,327,891	15,396	3,417,300	49,266				
	: 6,077,115	378,684	6,455,799	19,327	258,043	3,310	280,680	2,742				
	: 603,249	103,313	706,562	59,581	1,140,929	14,301	1,214,611	43,969				
	: 6,680,364	481,997	7,162,361	78,908	1,398,972	17,611	1,495,491	46,711				

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, NOVEMBER 1971 WITH COMPARISONS

	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER-ROASTERS:	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER : POULTRY	TOTAL POULTRY
ANTE-MORTEM										
1,000 POUNDS (LIVWEIGHT):										
NOVEMBER 1970:	2,444	515	2,959	29	599	2	630	4	4	3,597
NOVEMBER 1971:	2,569	525	3,094	32	539	3	574	2	5	3,675
JAN.-NOV. 1970:	42,626	6,548	49,174	219	3,697	69	3,985	69	16	53,244
JAN.-NOV. 1971:	37,669	6,588	44,257	210	3,775	72	4,057	34	19	48,367
PERCENT 1/										
NOVEMBER 1970:	.33	.79	.37	.22	.20	.62	.20	.08	.13	.32
NOVEMBER 1971:	.31	.76	.35	.31	.18	.40	.18	.03	.19	.30
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED):										
NOVEMBER 1970:	25,828	3,793	29,621	267	8,221	17	8,505	106	22	38,253
NOVEMBER 1971:	23,229	3,655	26,884	217	7,525	24	7,766	90	16	34,757
JAN.-NOV. 1970:	327,379	38,493	365,872	1,752	42,749	669	45,170	1,158	57	412,257
JAN.-NOV. 1971:	307,733	38,575	346,308	1,882	44,174	877	46,933	1,046	60	394,368
PERCENT 2/										
NOVEMBER 1970:	3.98	6.54	4.19	2.32	3.06	5.05	3.03	2.16	.89	3.84
NOVEMBER 1971:	3.21	5.95	3.42	2.40	2.81	4.16	2.80	1.75	.61	3.24

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, NOVEMBER 1971 WITH COMPARISONS

	YOUNG CHICKENS	MATURE CHICKENS	TURKEYS	OTHER POULTRY 1/	TOTAL POULTRY
POUNDS USED READY-TO-COOK WEIGHT 2/					
OCTOBER 1971:	33,696	176,998	33,943	950	65,522
NOVEMBER 1970:	26,258	144,713	36,034	612	49,743
NOVEMBER 1971:	32,942	167,985	35,391	367	56,182
JANUARY-NOVEMBER 1970:	310,360	1,686,316	356,295	7,887	439,765
JANUARY-NOVEMBER 1971:	350,687	1,880,253	395,020	5,052	516,990
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/:					
OCTOBER 1971:	523	1,530	39	5	40
NOVEMBER 1970:	233	1,118	48	72	32
NOVEMBER 1971:	559	1,279	30	2	261
JANUARY-NOVEMBER 1970:	2,737	11,434	735	419	1,411
JANUARY-NOVEMBER 1971:	4,396	13,797	524	25	416
POUNDS USED READY-TO-COOK WEIGHT 2/:					
OCTOBER 1971:	140,706	7,545	23,001	258	151,510
NOVEMBER 1970:	165,139	7,099	19,606	208	191,952
NOVEMBER 1971:	189,461	8,028	20,868	241	218,558
JANUARY-NOVEMBER 1970:	1,869,073	76,424	173,184	1,686	2,125,367
JANUARY-NOVEMBER 1971:	2,068,686	77,375	180,285	3,096	2,259,442
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/:					
OCTOBER 1971:	618	16	276	2	912
NOVEMBER 1970:	345	32	23	13	413
NOVEMBER 1971:	1,546	4	261	4	1,815
JANUARY-NOVEMBER 1970:	14,132	94	2,185	371	17,726
JANUARY-NOVEMBER 1971:	15,772	29	1,921	273	18,995

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/100 COOK WT.		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971		
	THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	PERCENT-		
N. ATLANTIC	11,613	12,284	49,508	53,856	4.27	4.38	35,441	38,429	1,818	1,878	4.08	3.89
E. N. CENTRAL	2,195	2,238	9,571	9,194	4.36	4.11	7,010	6,676	240	308	2.79	3.74
W. N. CENTRAL	5,371	7,225	21,035	28,868	3.92	4.00	14,909	20,462	802	865	4.25	3.34
S. ATLANTIC	77,151	83,096	291,398	320,273	3.78	3.85	206,281	229,412	10,672	9,250	4.08	3.22
S. CENTRAL	93,297	104,343	335,290	376,592	3.59	3.61	237,553	268,709	11,731	10,387	3.90	3.07
WEST	4,604	4,577	16,810	17,727	3.65	3.87	11,705	12,506	565	541	3.74	3.40
U. S.	194,231	213,763	723,712	806,510	3.73	3.77	512,899	576,194	25,828	23,229	3.98	3.21
MAINE	4,828	5,029	20,836	22,904	4.32	4.55	15,233	16,803	585	517	3.13	2.52
PENNSYLVANIA	6,062	6,673	25,880	28,106	4.20	4.21	17,990	19,772	1,061	1,256	4.64	4.98
OHIO	16	250	145	1,044	8.92	4.17	111	768	3	50	2.27	5.33
INDIANA	801	849	3,077	3,235	3.84	3.81	2,281	2,393	56	96	2.02	3.29
WISCONSIN	1,325	1,131	5,960	4,875	4.50	4.31	4,336	3,515	167	163	3.11	3.72
MINNESOTA	765	831	3,254	3,674	4.26	4.42	2,482	2,663	61	128	2.09	3.87
MISSOURI	4,014	5,238	14,922	20,197	3.72	3.86	10,421	14,291	612	537	4.57	2.96
DELAWARE	6,763	7,022	27,360	28,314	4.05	4.03	19,288	20,130	944	962	3.58	3.78
MARYLAND	12,149	9,382	48,566	37,745	4.01	4.02	35,006	26,960	1,565	1,227	3.58	3.62
VIRGINIA	5,966	8,498	20,874	32,242	3.50	3.79	14,376	22,645	577	880	3.07	3.04
NORTH CAROLINA	17,967	19,814	68,891	78,496	3.83	3.96	49,021	55,639	2,059	2,331	3.33	3.31
SOUTH CAROLINA	2,476	2,752	8,803	9,401	3.56	3.42	5,972	6,786	441	239	5.58	2.83
GEORGIA	27,751	30,729	101,324	116,098	3.65	3.78	71,659	84,441	4,665	3,139	5.13	3.01
TENNESSEE	4,445	5,598	15,823	21,085	3.56	3.77	11,473	15,279	453	591	3.19	3.12
ALABAMA	23,602	27,871	83,709	99,576	3.55	3.57	58,087	71,574	4,123	2,573	5.49	2.87
MISSISSIPPI	17,106	18,722	64,282	68,241	3.76	3.65	46,427	48,596	1,974	2,027	3.42	3.31
ARKANSAS	27,453	31,383	95,307	109,784	3.47	3.50	67,072	77,121	2,781	3,058	3.25	3.10
LOUISIANA	3,667	4,013	13,728	14,817	3.74	3.69	9,899	10,729	380	488	3.09	3.67
TEXAS	13,695	13,572	50,501	51,056	3.69	3.76	36,176	36,726	1,735	1,387	3.82	3.03
WASHINGTON	516	---	2,099	---	4.07	---	1,484	---	43	---	2.28	---
CALIFORNIA	2,590	2,098	9,598	8,669	3.71	4.13	6,825	6,183	270	269	3.14	3.46

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1971

REGION AND STATE	TUBER- : CULOSIS :		LEU- : KOSIS :		SEPTI- : CEMIA :		AIRSAC- : CULITIS :		SYND- : VIJIS :		TUMORS :		BRUISES :		CADAVER :		CONTAM- : INATION :		OVER- : SCALD :		OTHER :		TOTAL	
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	152,151	88,677	59,059	1,486	1,366	4,492	12,917	23,142	1,696	10,840	355,826												
E. N. CENTRAL	---	38,019	23,094	4,082	2,022	197	2,119	1,686	6,141	633	1,845	79,838												
W. N. CENTRAL	---	66,006	48,336	45,159	8,393	1,077	5,598	5,701	11,080	487	9,990	201,827												
S. ATLANTIC	---	975,616	401,542	371,755	32,844	7,677	40,471	55,996	169,356	25,338	111,407	2,192,002												
S. CENTRAL	---	878,249	574,279	436,063	77,051	13,975	58,768	108,840	199,328	22,278	303,991	2,672,822												
WEST	---	55,847	27,638	29,593	716	889	1,783	5,203	5,349	991	10,611	138,620												
U. S.	---	2,165,888	1,163,566	945,711	122,512	25,181	113,231	190,343	414,396	51,423	448,684	5,640,935												
MAINE	---	27,478	37,342	3,102	919	571	1,151	3,018	5,186	297	1,957	81,021												
PENNSYLVANIA	---	120,188	45,600	53,482	528	660	2,825	9,656	14,875	1,039	8,169	257,022												
OHIO	---	11,410	2,165	254	146	69	102	183	682	4	15	15,030												
INDIANA	---	18,214	6,210	375	31	72	490	393	660	4	18	26,467												
WISCONSIN	---	8,388	14,714	3,453	1,844	55	1,527	1,110	4,799	625	1,812	38,327												
MINNESOTA	---	18,962	4,177	246	88	90	239	137	2,333	134	7,817	34,223												
MISSOURI	---	34,811	31,033	32,723	5,113	403	2,974	3,307	5,295	305	1,709	117,673												
DELAWARE	---	109,710	20,153	60,211	2,963	219	1,345	4,569	9,672	6,547	5,601	220,990												
MARYLAND	---	165,511	49,527	57,844	2,082	535	2,949	5,285	16,142	3,533	2,917	306,325												
VIRGINIA	---	104,458	60,810	64,489	811	334	3,607	3,756	8,985	2,266	2,607	252,123												
NORTH CAROLINA	---	191,623	95,520	99,457	10,503	2,393	14,942	14,411	44,236	4,564	42,499	520,148												
SOUTH CAROLINA	---	21,547	8,886	3,881	1,138	203	2,023	3,209	6,670	52	8,995	56,604												
GEORGIA	---	302,048	145,321	76,134	14,747	3,813	14,008	20,832	74,973	6,960	41,512	700,348												
TENNESSEE	---	86,339	28,967	11,185	2,331	490	2,370	4,417	12,526	527	9,360	158,512												
ALABAMA	---	217,123	146,316	74,094	8,536	4,654	12,137	27,585	67,970	4,582	230,257	793,254												
MISSISSIPPI	---	219,980	63,170	122,528	6,590	2,593	7,027	10,834	27,706	2,749	28,882	491,859												
ARKANSAS	---	205,222	197,589	159,634	41,903	3,698	18,013	34,274	56,626	6,549	22,185	745,693												
LOUISIANA	---	15,727	33,510	34,410	2,054	647	3,964	3,252	11,763	948	1,172	107,447												
TEXAS	---	117,803	87,002	25,438	14,934	1,697	12,584	18,119	19,683	5,614	10,275	313,149												
CALIFORNIA	---	28,703	10,699	16,719	123	813	487	1,739	1,809	77	584	61,753												

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEMEIGHT)		AVERAGE LIVEMEIGHT		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS				
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971			
U. S.	14,321	15,445	64,939	68,821	4.53	4.46	41,131	43,517	3,793	3,655	6.54	5.95	
N. ATLANTIC	1,650	1,920	8,083	9,188	4.90	4.79	5,178	5,969	552	492	7.65	6.01	
E. N. CENTRAL	1,625	1,611	6,613	6,551	4.07	4.07	4,000	3,917	293	276	4.97	4.73	
W. N. CENTRAL	3,657	3,981	15,803	16,763	4.32	4.21	9,687	10,343	997	927	7.09	6.19	
S. ATLANTIC	3,773	3,639	17,282	16,905	4.58	4.65	11,232	11,058	936	777	6.06	5.15	
S. CENTRAL	2,167	2,503	11,463	12,378	5.29	4.95	7,688	7,981	549	724	5.35	6.53	
WEST	1,449	1,791	5,695	7,036	3.93	3.93	3,346	4,249	466	459	9.18	7.30	
MAINE	264	203	1,611	1,208	6.10	5.95	1,111	827	58	49	4.05	4.52	
NEW JERSEY	1,002	1,251	4,256	5,220	4.25	4.17	2,535	3,269	387	323	10.20	6.95	
PENNSYLVANIA	60	63	413	462	6.93	7.35	287	330	10	10	2.61	2.49	
OHIO	225	225	---	895	---	3.98	---	520	---	44	---	---	5.48
INDIANA	595	569	2,349	2,279	3.94	4.00	1,449	1,375	101	53	4.81	2.62	
MINNESOTA	1,373	1,535	5,275	5,762	3.84	3.75	3,160	3,478	341	326	7.23	6.34	
MISSOURI	953	1,197	5,615	6,385	5.89	5.33	3,730	4,212	305	304	6.10	5.31	
MARYLAND	---	542	---	2,397	---	4.43	---	---	1,519	---	137	---	6.46
VIRGINIA	67	32	466	240	7.00	7.52	325	168	19	9	4.52	4.12	
NORTH CAROLINA	235	154	1,704	1,073	7.25	6.95	1,177	756	63	40	4.15	4.14	
GEORGIA	2,453	2,561	11,038	11,758	4.50	4.59	7,221	7,728	568	509	5.75	4.84	
ALABAMA	252	130	1,411	928	5.59	7.14	940	628	66	59	5.25	7.12	
MISSISSIPPI	1,256	1,499	6,334	7,067	5.04	4.71	4,268	4,498	314	449	5.55	7.10	
ARKANSAS	140	293	975	1,721	6.99	5.88	670	1,152	40	74	4.53	4.79	
LOUISIANA	71	67	509	444	7.16	6.61	344	302	22	23	4.83	5.72	
TEXAS	367	456	1,777	1,940	4.84	4.25	1,154	1,226	90	108	5.65	6.24	
WASHINGTON	51	101	231	407	4.52	4.02	144	280	11	20	5.33	5.65	
CALIFORNIA	1,236	1,494	4,845	5,845	3.92	3.91	2,822	3,460	410	400	9.49	7.64	

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1971

REGION AND STATE	TUBER- : NO.	CULOSIS: NO.	LEU- : NO.	KOSIS : NO.	SEPTI- : NO.	CEMIA : NO.	CULITIS : NO.	AIRSAC- : NO.	SYNO- : NO.	VILIS : NO.	TUMORS : NO.	BRUISES: NO.	CADAVER: NO.	INACTION: NO.	OVER- : NO.	SEALD.: NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	---	3,250	36,599	26	489	26,095	3,627	2,412	8,224	335	16,856	97,913					
E. N. CENTRAL	915	6,206	28,409	257	35	18,816	2,756	3,578	13,368	507	4,435	79,282						
W. N. CENTRAL	13,531	13,067	91,626	5,901	514	60,359	9,125	8,216	20,629	623	21,703	245,294						
S. ATLANTIC	209	5,339	64,334	1,135	827	34,785	4,931	6,958	32,110	253	10,357	161,238						
S. CENTRAL	---	5,119	55,895	230	1,399	26,877	7,369	3,639	17,388	533	20,625	139,074						
WEST	---	850	73,395	74	124	40,077	2,662	1,182	5,461	219	14,582	138,626						
U. S.	14,655	33,831	350,258	7,623	3,388	207,009	30,470	25,985	97,180	2,470	88,558	861,427						
MAINE	---	477	2,837	2	115	930	210	145	984	19	100	5,819						
NEW JERSEY	---	1,883	27,785	5	108	20,775	3,049	1,670	4,933	68	15,408	75,684						
PENNSYLVANIA	---	184	806	2	4	108	26	73	128	5	72	1,408						
OHIO	156	1,669	2,755	4	11	1,545	557	393	1,567	6	685	9,348						
INDIANA	35	904	7,985	---	---	6,102	272	717	5,594	14	1,334	22,957						
MINNESOTA	7,764	4,741	27,334	1,562	102	29,944	3,290	1,787	6,839	176	16,212	99,751						
MISSOURI	489	3,340	35,648	342	357	7,854	1,729	2,271	4,813	374	2,021	59,238						
MARYLAND	209	1,958	8,508	515	476	5,795	1,451	2,265	9,064	17	1,405	31,663						
VIRGINIA	---	150	743	54	3	110	41	37	110	---	86	1,334						
NORTH CAROLINA	---	411	2,477	74	43	687	95	85	791	11	1,001	5,675						
GEORGIA	---	2,090	45,497	367	293	23,113	2,625	4,302	19,550	156	7,343	105,336						
ALABAMA	---	342	3,891	20	548	298	77	425	1,455	35	963	8,054						
MISSISSIPPI	---	2,506	36,773	3	608	14,837	6,465	1,698	11,096	176	9,611	83,773						
ARKANSAS	---	1,114	5,201	102	111	2,121	171	625	2,239	221	2,365	14,270						
LOUISIANA	---	207	2,545	10	29	112	45	163	97	2	30	3,240						
TEXAS	---	861	5,658	84	102	9,404	507	670	2,253	97	7,608	27,244						
WASHINGTON	---	188	2,570	11	4	549	127	33	238	4	2,511	6,235						
CALIFORNIA	---	489	63,021	40	113	37,922	2,192	949	3,703	207	9,886	118,522						

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS	
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971
	- THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	
N. ATLANTIC	471	601	9,320	11,606	19.79	19.31	7,338	9,031	174	202
E. N. CENTRAL	1,948	1,895	41,140	38,324	21.12	20.23	32,345	30,301	842	599
W. N. CENTRAL	4,015	4,362	88,050	92,532	21.93	21.21	69,044	73,429	2,785	2,446
S. ATLANTIC	2,127	1,865	44,649	37,994	20.99	20.37	34,294	29,233	1,861	1,366
S. CENTRAL	1,802	1,841	39,631	40,952	21.99	22.25	31,006	31,898	1,364	1,339
WEST	3,487	3,494	75,716	76,300	21.71	21.84	60,637	60,701	1,195	1,573
U. S.	13,850	14,058	297,708	297,708	21.55	21.18	234,664	234,593	8,221	7,525
PENNSYLVANIA	465	545	9,207	10,414	19.80	19.12	7,242	8,154	173	189
OHIO	494	637	10,615	12,341	21.48	19.36	8,242	9,785	247	175
INDIANA	702	645	14,588	12,934	20.77	20.07	11,565	10,176	228	196
WISCONSIN	549	401	11,152	7,922	20.32	19.75	8,755	6,329	276	148
MINNESOTA	1,982	1,982	38,035	39,900	20.65	20.13	29,848	31,573	1,251	1,083
IOWA	971	995	22,086	22,644	22.74	22.77	17,521	17,986	608	601
MISSOURI	872	1,127	20,166	24,198	23.12	21.47	15,519	19,209	740	635
NEBRASKA	217	146	5,484	3,512	25.30	23.99	4,355	2,871	139	79
VIRGINIA	734	667	14,723	13,036	20.07	19.55	11,054	9,881	680	502
NORTH CAROLINA	922	911	19,426	17,649	21.07	19.38	15,220	13,842	782	569
ARKANSAS	841	799	18,651	18,012	22.16	22.55	14,601	13,880	691	685
TEXAS	886	878	19,296	19,136	21.78	21.75	15,057	14,951	635	577
COLORADO	356	354	7,452	7,647	21.31	21.62	5,886	5,805	183	201
UTAH	577	671	14,539	16,503	25.20	24.61	11,828	13,294	207	381
CALIFORNIA	2,170	2,157	45,733	45,774	21.07	21.22	36,565	36,624	707	821

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1971

REGION AND STATE	TUBER- : NO.	LEU- : NO.	SEPTI- : NO.	AIRSAC- : NO.	SYNO- : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	CONTAM- : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	53	6,502	2,839	100	10	46	118	580	47	44	44	10,339
E. N. CENTRAL	---	120	13,922	3,783	4,161	11	352	721	1,530	129	538	538	25,267
W. N. CENTRAL	---	611	55,522	36,727	2,795	47	1,062	2,177	6,454	596	969	969	106,960
S. ATLANTIC	16	208	18,519	20,620	4,097	31	857	1,404	3,503	518	2,246	2,246	52,019
S. CENTRAL	---	258	19,750	15,682	11,747	80	476	811	1,703	82	1,571	1,571	52,160
WEST	---	368	26,718	22,639	10,323	34	669	1,742	2,001	1,107	618	618	66,219
U. S.	16	1,618	140,933	102,290	33,223	213	3,462	6,973	15,771	2,479	5,986	5,986	312,964
PENNSYLVANIA	---	50	6,346	2,768	98	5	27	101	441	29	12	12	9,877
OHIO	---	13	3,918	592	1,276	8	93	104	536	20	14	14	6,574
INDIANA	---	25	4,662	1,810	786	1	140	158	697	42	137	137	8,458
WISCONSIN	---	78	2,948	656	1,831	---	102	380	259	53	365	365	6,672
MINNESOTA	---	571	29,509	15,798	1,610	25	619	1,308	3,662	273	172	172	53,547
IOWA	---	24	12,149	9,656	251	9	238	158	1,433	36	108	108	24,062
MISSOURI	---	16	11,638	9,515	906	12	191	571	1,157	101	689	689	24,796
NEBRASKA	---	---	1,560	833	---	1	8	100	141	---	---	---	2,643
VIRGINIA	---	60	10,515	7,113	2,594	---	328	618	868	51	67	67	22,214
NORTH CAROLINA	---	28	4,962	10,089	1,375	6	299	304	1,788	13	1,860	1,860	20,724
ARKANSAS	---	163	9,683	6,556	8,575	4	179	245	1,086	36	240	240	26,767
TEXAS	---	66	8,242	8,446	3,133	73	245	364	377	18	1,331	1,331	22,295
COLORADO	---	200	2,360	5,878	756	---	21	335	47	1	3	3	9,601
UTAH	---	34	5,918	4,413	2,325	25	206	413	845	476	306	306	14,961
CALIFORNIA	---	134	15,327	10,068	4,585	7	262	840	909	375	103	103	32,610

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED		AVERAGE LIVELINEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971		
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-			
N. ATLANTIC	9	12	88	128	9.78	10.67	67	102	2	1	2.52	.86
E. N. CENTRAL	131	67	1,276	704	9.72	10.53	995	543	23	12	1.96	1.84
W. N. CENTRAL	935	679	8,737	6,369	9.35	9.38	6,868	4,978	172	139	2.19	2.43
S. ATLANTIC	217	291	2,046	2,558	9.42	8.78	1,519	1,931	55	60	2.97	2.63
S. CENTRAL	34	1	327	9	9.74	15.31	252	7	10	---	3.57	1.24
WEST	34	35	307	315	9.01	9.05	238	247	5	5	1.94	1.68
U. S.	1,360	1,085	12,781	10,083	9.40	9.29	9,939	7,808	267	217	2.32	2.40
OHIO	59	---	591	---	10.00	---	457	---	10	---	1.86	---
WISCONSIN	68	---	650	---	9.52	---	511	---	12	---	2.13	---
MINNESOTA	866	642	7,969	6,045	9.20	9.42	6,242	4,717	162	131	2.26	2.42
VIRGINIA	183	234	1,715	2,074	9.38	8.86	1,263	1,545	46	49	2.97	2.63
TEXAS	21	---	221	---	10.39	---	167	---	9	---	4.44	---

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1971

REGION AND STATE	LEU-NO.		SEPTI-NO.		AIRSAC-NO.		SYND-NO.		TUMORS-NO.		BRUISES-NO.		CADAVER-NO.		INACTION-NO.		SCALD-NO.		OTHER-NO.		TOTAL NO.
	TUBER	CULOSIS	KOSIS	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	1	45	8	---	---	---	---	---	---	---	---	---	14	---	---	---	---	68	
E. N. CENTRAL	---	---	---	505	138	96	13	96	2	13	96	152	29	47	1,078	---	---	---	---	1,078	
W. N. CENTRAL	---	---	2	9,294	4,421	80	99	351	2	99	351	1,677	45	27	15,998	---	---	---	---	15,998	
S. ATLANTIC	---	---	2	2,758	691	114	157	342	1	157	342	811	92	219	5,187	---	---	---	---	5,187	
S. CENTRAL	---	---	---	2	---	---	---	---	---	---	---	2	---	---	---	---	---	---	---	4	
WEST	---	---	---	225	69	15	16	7	---	16	7	69	---	41	442	---	---	---	---	442	
U. S.	---	---	5	12,829	5,327	305	285	796	5	285	796	2,725	166	334	22,777	---	---	---	---	22,777	
MINNESOTA	---	---	2	8,924	4,144	14	90	331	2	90	331	1,498	45	27	15,077	---	---	---	---	15,077	
VIRGINIA	---	---	2	2,578	467	76	144	338	---	144	338	722	92	35	4,454	---	---	---	---	4,454	

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVWEIGHT)	AVERAGE LIVWEIGHT	TOTAL POUNDS CERTIFIED	POST-MORTEM CONDEMNATIONS						
					POUNDS (NYD)	PERCENT 2/					
	1970	1971	1970	1971	1970	1971					
	-THOUSANDS-	-1,000 POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-					
N. ATLANTIC 4/:											
E. N. CENTRAL	1	15	58	18.27	22.07	11	44	1	3	5.57	5.99
W. N. CENTRAL	4	87	110	19.53	17.96	69	77	2	4	2.19	3.63
S. ATLANTIC	9	211	286	22.59	20.49	160	227	14	9	7.24	3.45
S. CENTRAL 4/:	---	---	---	---	---	---	---	---	---	---	---
WEST	2	8	121	23.36	16.02	43	89	1	8	1.08	6.96
U. S.	17	367	647	21.69	20.01	284	486	17	24	5.05	4.16
MINNESOTA 3/:	---	---	57	---	16.33	---	43	---	3	---	6.26

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1971

REGION AND STATE	TURB- NO.	LEU- NO.	SEPTI- NO.	AIRSAC- NO.	CULITIS NO.	SYNO- NO.	VITIS NO.	TUMORS NO.	BRUISES NO.	CADAVER: NO.	INATION: NO.	CONTAM- NO.	OVER- NO.	SCALD: NO.	OTHER: NO.	TOTAL NO.
E. N. CENTRAL	---	1	49	63	33	---	1	1	1	8	13	---	10	---	---	146
W. N. CENTRAL	---	4	157	33	59	7	---	---	1	1	24	---	---	---	---	222
S. ATLANTIC	---	9	108	---	---	---	---	---	5	3	26	---	1	3	---	221
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	2	369	28	---	1	11	36	---	19	17	---	17	---	---	500
U. S.	---	16	688	186	9	13	46	81	31	81	1	30	---	---	---	1,101
MINNESOTA	---	4	144	32	1	1	---	24	---	---	---	---	---	---	---	207

UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE



FIRST-CLASS MAIL

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.